

Safety Data Sheet

Revision 1
Prepared 2014-03-21

Section 1 - Identification

Product Name: Showroom Mop & Shine

Product Code: B:SHOWROOM

TradeName(s):

Manufacturer / Supplier:

ITD, Inc.

1827 Auger Drive, Tucker, GA 30084

For information, call: 800-472-1233

For INFOTRAC Assistance

Call: 800-535-5053.

Section 3 - Hazards Identification

GHS Ratings

GHS Hazards

GHS Precautions

ROUTES OF ENTRY

Effects of Overexposure, :

Section 2 - Composition, Information on Ingredients

Chemical Name / CAS No

OSHA Exposure Limits

ACGIH Exposure Limits

Other Exposure Limits

Section 4 - First Aid Measures

INHALED:

•If fumes, aerosols or combined products are inhaled, remove from contaminated area.

EYE CONTACT:

•Wash out immediately with fresh running water.

SKIN:

•Immediately remove all contaminated clothing, including footwear.

INGESTION:

•If swallowed do NOT induce vomiting.

NOTES TO PHYSICIAN:

Section 5 - Fire Fighting Measures

Flash Point: N/A

Autoignition:

LEL: N/A

EXTINGUISHING MEDIA:

- There is no restriction on the type of extinguisher which may be used.

FIRE / EXPLOSION HAZARD:

- Non Combustible.

FIRE FIGHTING INSTRUCTIONS:

- Wear breathing apparatus plus protective gloves in the event of a fire.

FIRE EQUIPMENT:

- Wear breathing apparatus plus protective gloves in the event of a fire.

Section 6 - Accidental Release Measures

MINOR SPILLS:

- Clean up all spills immediately.

MAJOR SPILLS:

- Clean up all spills immediately.

Section 7 - Handling & Storage

PROCEDURE FOR HANDLING:

- Avoid all personal contact, including inhalation.
- Use in a well-ventilated area.
- Avoid contact with incompatible materials.
- When handling, DO NOT eat, drink, or smoke.
- Keep containers securely sealed when not in use.
- Avoid physical damage to containers.
- Always wash hands with soap and water after handling.
- Work clothes should be laundered separately. Launder contaminated clothing before re-use.
- Use good occupational work practices.
- Observe manufacturer's storage and handling recommendations contained within this (M)SDS.
- Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions are maintained.

SUITABLE CONTAINER:

- Polyethylene or polypropylene container.
- Packing as recommended by manufacturer.
- Check all containers are clearly labeled and free from leaks.
- Store in original containers.
- Keep containers securely sealed.
- Keep all chemicals away from children.
- Store in a cool, dry, well-ventilated area.
- Store away from incompatible materials and foodstuff containers.
- Protect containers against physical damage and check regularly for leaks.
- Observe manufacturer's storage and handling recommendations contained within this (M)SDS.

Section 8 - Exposure Controls/Personal Protection

ENGINEERING CONTROLS

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.

The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment. Ventilation can remove or dilute an air contaminant if designed properly. The design of a ventilation system must match the particular process and chemical or contaminant in use. Employers may need to use multiple types of controls to prevent employee overexposure. General exhaust is adequate under normal operating conditions. Local exhaust ventilation may be required in specific circumstances. If risk of overexposure exists, wear approved respirator. Correct fit is essential to obtain adequate protection. Provide adequate ventilation in warehouse or closed storage areas.

EYE PROTECTION:

SKIN PROTECTION:

RESPIRATORY PROTECTION:

Provide local exhaust ventilation where dust or mist may be generated. Ensure compliance with applicable exposure limits.

Section 9 - Physical & Chemical Properties

Vapor Pressure	0.0053 mg Hg @ 68F
VOC	0.0 %
Appearance	Clear Liquid
Color	Lt. Straw
pH	5 - 9
Refractive Index	Record
Specific Gravity	Record
Odor	Fruity
Odor Threshold	N/A
Freezing Point	30F
Boiling Range	212F
Solubility in Water	Complete
Viscosity	<=10

Section 10 - Stability & Reactivity

Stable

Hazardous Decomposition:

Hazardous polymerization will not occur.

Section 11 - Toxicological Information

INGESTION: Accidental ingestion of the material may be damaging to the health of the individual.

Mixture Toxicity	LD50, Oral: 0 mg/kg
	LD50, Dermal: 0 mg/kg
	LC50, Inhalation: 0 mg/l

Section 12 - Ecological Information

Section 13 - Disposal Considerations

•Reduce •Reuse •Recycle •Dispose (if all else fails)

Section 14 - Transportation Information

<u>Agency</u>	<u>Proper Shipping Name</u>	<u>UN Number</u>	<u>Packing Group</u>	<u>HazardClass</u>
DOT	Cleaning Compound (Non-Regulated)			

Section 15 - Regulatory Information

OSHA Hazard Communication Standard

- None

Toxic Substances Control Act (TSCA) Status:

- None

Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know act of 1986) Sections 311 and 312:

- None


Section 16 - Other Information

Hazardous Material Information System (HMIS)

HEALTH	1
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	D

National Fire Protection Association (NF HMIS & NFPA) Hazard Rating

Flammability



H

Legend

* = Chronic Health Hazard

0 = INSIGNIFICANT

Flammability

1 = SLIGHT

2 = MODERATE

The information and recommendations contained herein is believed to be reliable. However, company does not guarantee their accuracy or completeness nor shall any of this information constitute a warranty, whether expressed or implied, as to the safety of the goods, the merchantability of the goods, or the fitness of the goods for a particular purpose. Adjustment to conform to actual conditions of usage maybe required. Company assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied.

End of Safety Data Sheet