



**Arch
Chemicals,
Inc.**

MATERIAL SAFETY DATA SHEET

FOR ANY EMERGENCY, 24 HOURS / 7 DAYS, CALL:

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC®:

FOR ALL MSDS QUESTIONS & REQUESTS, CALL:

1-800-654-6911 (OUTSIDE
USA: 1-423-780-2970)

1-800-424-9300 (OUTSIDE
USA: 1-703-527-3887)

1-800-511-MSDS (OUTSIDE
USA: 1-423-780-2347)

PRODUCT NAME: CCH Calcium Hypochlorite Tablets

EPA Registration Number: 1258-1233

1. PRODUCT AND COMPANY IDENTIFICATION

**Arch Chemicals, Inc.
501 Merritt 7 PO Box 5204
Norwalk, CT 06856-5204**

REVISION DATE: 02/28/2008
SUPERCEDES: 09/19/2007

MSDS Number: 000000004629
SYNONYMS: None
CHEMICAL FAMILY: Hypochlorite
DESCRIPTION / USE: Sanitizer and Oxidizer
FORMULA: NOT APPLICABLE/MIXTURE

2. HAZARDS IDENTIFICATION

OSHA Hazard
Classification:

Toxic by inhalation., Corrosive to eyes and skin, Lung toxin, Oxidizer

Routes of Entry: Inhalation, skin, eyes, ingestion
Chemical Interactions: No known or reported interactions.
Medical Conditions Aggravated: Asthma, respiratory and cardiovascular disease

Human Threshold Response Data

Odor Threshold Approximately 1.4 mg/m3 (based on odor threshold of chlorine)

Irritation Threshold Approximately 13-22 mg/m3 (based on irritation threshold of chlorine)

Hazardous Materials Identification System / National Fire Protection Association Classifications

<u>Hazard Ratings :</u>	<u>Health</u>	<u>Flammability</u>	<u>Physical / Instability</u>	<u>PPI / Special hazard.</u>
HMIS	3	0	1	
NFPA	3	0	1	OX



Immediate (Acute) Health Effects

Inhalation Toxicity:	HARMFUL IF PRODUCT IS INHALED IN HIGH CONCENTRATIONS. CAUSES BURNS TO RESPIRATORY TRACT. Inhalation of dust or vapor from this product can be irritating to the nose, mouth, throat and lungs. In confined areas, mechanical agitation can result in high levels of dust, and reaction with incompatible materials (as listed in Section 10) can result in high concentrations of chlorine vapor, either of which may result in burns to the respiratory tract, producing lung edema, shortness of breath, wheezing, choking, chest pains, impairment of lung function and possible permanent lung damage.
Skin Toxicity:	DRY MATERIAL CAUSES MODERATE SKIN IRRITATION. WET MATERIAL CAUSES SKIN BURNS. Dermal exposure to dry material causes moderate skin irritation characterized by redness and swelling. Dermal exposure to wet material can cause severe irritation and/or burns characterized by redness, swelling and scab formation. Prolonged skin exposure may cause permanent damage.
Eye Toxicity:	CAUSES BURNS TO EYES. Severe irritation and/or burns can occur following eye exposure. Direct contact may cause impairment of vision and corneal damage.
Ingestion Toxicity:	MODERATELY TOXIC IF SWALLOWED. CAUSES BURNS TO DIGESTIVE TRACT. Irritation and/or burns can occur to the entire gastrointestinal tract, including the stomach and intestines, characterized by nausea, vomiting, diarrhea, abdominal pain, bleeding, and/or tissue ulceration or perforation. Significant exposure to this material can lead to serious health effects and/or death.
Acute Target Organ Toxicity:	This product is corrosive to all tissues contacted and upon inhalation, may cause irritation to mucous membranes and respiratory tract., The dry material is irritating to the skin. However when wet, it will produce burns to the skin.

Prolonged (Chronic) Health Effects

Carcinogenicity:	This product is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP or EPA.
Reproductive and Developmental Toxicity:	No reproductive or developmental risk to humans is expected from exposure to this product.
Inhalation:	Repeated inhalation exposure may cause impairment of lung function and permanent lung damage.
Skin Contact:	Effects similar to those from acute exposure. In addition, chronic exposure to wet material may cause effects secondary to tissue destruction.
Ingestion:	There are no known or reported effects from chronic ingestion except for effects similar to those experienced from single exposure. The acute corrosivity of this product, makes chronic ingestion of significant amounts unlikely.
Sensitization:	This material is not known or reported to be a skin or respiratory sensitizer.
Chronic Target Organ Toxicity:	There are no known or reported effects from repeated exposure except those secondary to burns.
Supplemental Health Hazard Information :	No additional health information available.



3. COMPOSITION / INFORMATION ON INGREDIENTS

<u>CAS OR CHEMICAL NAME</u>	<u>CAS #</u>	<u>% RANGE</u>
CALCIUM HYPOCHLORITE	7778-54-3	60 - 80
SODIUM CHLORIDE	7647-14-5	10 - 20
CALCIUM CHLORATE	10137-74-3	0 - 5
CALCIUM CHLORIDE	10043-52-4	0 - 5
CALCIUM HYDROXIDE	1305-62-0	0 - 6
CALCIUM CARBONATE	471-34-1	0 - 4
Sodium Tripolyphosphate	13573-18-7	0.5 - 1.0
Water	7732-18-5	5.5 - 8.5

4. FIRST AID MEASURES

General Advice:	Call a poison control center or doctor for treatment advice. For 24-hour emergency medical assistance, call Arch Chemical Emergency Action Network at 1-800-654-6911. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
Inhalation:	IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
Skin Contact:	IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Eye Contact:	IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Ingestion:	IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
Notes to Physician:	Probable mucosal damage may contraindicate the use of gastric lavage.



5. FIRE FIGHTING MEASURES

Flammability Summary (OSHA): This product is chemically reactive with many substances. Any contamination of the product with other substances by spill or otherwise may result in a chemical reaction and fire., This product is a strong oxidizer which is capable of intensifying a fire once started., Product is not known to be flammable, combustible or pyrophoric.

Flammable Properties

Flash Point: Not applicable
Autoignition Temperature: Not applicable
Extinguishing Media: Water only. Do not use dry extinguishers containing ammonium compounds.
Fire Fighting Instructions: Use water to cool containers exposed to fire. See Section 6 for protective equipment for fire fighting.
Upper Flammable / Explosive Limit, % in air: Not applicable
Lower Flammable / Explosive Limit, % in air: Not applicable

6. ACCIDENTAL RELEASE MEASURES

Personal Protection for Emergency Situations: Response to a large quantity spill (100 pounds or greater) or when dusting or decomposition gas exposure could occur requires the use of a positive pressure full face supplied air respirator or self contained breathing apparatus (SCBA), chemical resistant gloves, coveralls and boots. In case of fire, this personal protective equipment should be used in addition to normal fire fighter equipment.

Spill Mitigation Procedures

Air Release: Vapors may be suppressed by the use of water fog. All water utilized to assist in fume suppression, decontamination or fire suppression may be contaminated and must be contained before disposal and/or treatment.

Water Release: This product is heavier than water. This material is soluble in water. Monitor all exit water for available chlorine and pH. Advise local authorities of any contaminated water release.

Land Release: Contact 1-800-654-6911 immediately. DANGER: All spills of this product should be treated as contaminated. Contaminated product may initiate a chemical reaction that may spontaneously ignite any combustible material present, resulting in a fire of great intensity. In case of a spill, separate all spilled product from packaging, debris and other material. Using a clean broom or shovel, place all spilled product into plastic bags, and place those bags into a clean, dry disposal container, properly marked and labeled. Disposal containers made of plastic or metal are recommended. Do not seal disposal containers tightly. Immediately remove all product in disposal containers to an isolated area outdoors. Place all damaged packaging material in a disposal container of water to assure decontamination (i.e. removal of all product) before disposal. Place all undamaged packaging in a clean, dry container properly marked and labeled. Call for disposal procedures.



Additional Spill Information :

Hazardous concentrations in air may be found in local spill area and immediately downwind. Remove all sources of ignition. Stop source of spill as soon as possible and notify appropriate personnel. Dispose of spill residues per guidelines under Section 13, Disposal Consideration. This material may be neutralized for disposal; you are requested to contact Arch Chemicals at 1-800-654-6911 before beginning any such procedure. **FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC: 1-800-424-9300** REPORTABLE QUANTITY: 10 lbs. (as calcium hypochlorite) per 40 CFR 302.4.

7. HANDLING AND STORAGE

Handling:	Avoid inhalation of dust and fumes. Do not take internally. Avoid contact with skin, eyes and clothing. Upon contact with skin or eyes, wash off with water. Remove contaminated clothing and wash before reuse.
Storage:	Keep product tightly sealed in original containers. Store product in a cool, dry, well-ventilated area. Store away from combustible or flammable products. Keep product packaging clean and free of all contamination, including, e.g. other pool treatment products, acids, organic materials, nitrogen-containing compounds, dry powder fire extinguishers (containing mono-ammonium phosphate), oxidizers, all corrosive liquids, flammable or combustible materials, etc.
Shelf Life Limitations:	Do not store product where the average daily temperature exceeds 95° F. Storage above this temperature may result in rapid decomposition, evolution of chlorine gas and heat sufficient to ignite combustible products. Shelf life (that is, the period of time before the product goes below stated label strength) is determined by storage time and temperatures. Store in a cool, dry and well ventilated area. Prolonged storage at elevated temperatures will significantly shorten the shelf life. Storage in a climate controlled storage area or building is recommended in those areas where extremes of high temperature occur.
Incompatible Materials for Storage:	Do not allow product to come in contact with other materials, including e.g. other pool treatment products, acids, organic materials, nitrogen-containing compounds, dry powder fire extinguishers (containing mono-ammonium phosphate), oxidizers, all corrosive liquids, flammable or combustible materials, etc. A chemical reaction with such substances can cause a fire of great intensity.
Do Not Store At temperatures Above:	Average daily temperature of 35° C / 95° F. Storage above this temperature may result in rapid decomposition, evolution of chlorine gas and heat sufficient to ignite combustible products.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Ventilation:	Local exhaust ventilation or other engineering controls are normally required when handling or using this product to keep airborne exposures below the TLV, PEL or other recommended exposure limit.
--------------	--



Protective Equipment for Routine Use of Product

Respiratory Protection : Wear a NIOSH approved respirator if levels above the exposure limits are possible.

Respirator Type : A NIOSH approved full-face air purifying respirator equipped with combination chlorine/P100 cartridges. Air purifying respirators should not be used in oxygen deficient or IDLH atmospheres or if exposure concentrations exceed ten (10) times the published limit.

Skin Protection : Wear impervious gloves to avoid skin contact. A full impervious suit is recommended if exposure is possible to a large portion of the body. A safety shower should be provided in the immediate work area.

Eye Protection: Use chemical goggles. Emergency eyewash should be provided in the immediate work area.

Protective Clothing Type: Neoprene, Nitrile, Natural rubber (This includes: gloves, boots, apron, protective suit)

Exposure Limit Data

<u>CHEMICAL NAME</u>	<u>CAS #</u>	<u>Name of Limit</u>	<u>Exposure</u>
CALCIUM HYPOCHLORITE	7778-54-3	ARCH-ROEG*	1 mg/m3 TWA
CALCIUM HYPOCHLORITE	7778-54-3	NIOSH-IDLH	37 - 48 mg/m3 based on IDLH concentration of chlorine
CALCIUM HYDROXIDE	1305-62-0	ZUS_ACGIH	5 mg/m3 TWA
CALCIUM HYDROXIDE	1305-62-0	ZUS_OSHAPO	5 mg/m3 TWA
CALCIUM HYDROXIDE	1305-62-0	ZUS_OSHAP1	15 mg/m3 TWA Total dust
CALCIUM HYDROXIDE	1305-62-0	ZUS_OSHAP1	5 mg/m3 TWA respirable dust fraction
CALCIUM CARBONATE	471-34-1	ZUS_ACGIH	10 mg/m3 TWA
CALCIUM CARBONATE	471-34-1	ZUS_OSHAP1	15 mg/m3 TWA Total dust
CALCIUM CARBONATE	471-34-1	ZUS_OSHAP1	5 mg/m3 TWA respirable dust fraction

*ARCH-ROEG: Arch Recommended Occupational Exposure Guideline.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	solid
Form	Tablet
Color:	white
Odor:	Chlorine-like
Molecular Weight:	143.00
Specific Gravity :	Not applicable
pH :	10.4 - 10.8 (1% solution in neutral, distilled water) (@ 25 Deg. C)
Boiling Point:	Not applicable
Freezing Point:	Not applicable
Melting Point:	Not applicable



Density: 1.9000g/cc
Vapor Pressure: (@ 25 Deg. C) Not applicable
Vapor Density: Not applicable
Viscosity: Not applicable
Fat Solubility: No data
Solubility in Water: 18.00000 % (@ 25 Deg. C) Product also contains calcium hydroxide and calcium carbonate which will leave a residue.

Partition coefficient n-octanol/water: Not applicable
Evaporation Rate: Not applicable
Oxidizing: Oxidizer
Volatiles, % by vol.: Not applicable
VOC Content: Not applicable
HAP Content: Not applicable

10. STABILITY AND REACTIVITY

Stability and Reactivity Summary: Product is not sensitive to mechanical shock or impact. Product is not sensitive to electrical static discharge. Product will not undergo hazardous polymerization. Product is an NFPA Class 3 oxidizer which can cause a severe increase in fire intensity. Not pyrophoric. Not an organic peroxide. If subjected to excessive temperatures, the product may undergo rapid decomposition, evolution of chlorine gas, and heat sufficient to ignite combustible substances. If product is exposed to small amounts of water, it can react violently to produce heat and toxic gases and spatter. Use copious amounts of water for fires involving this product.

Conditions to Avoid: Do not store next to heat source, in direct sunlight, or elevated storage temperature. Do not store where the daily average temperature exceeds 95 °F. Prevent ingress of humidity and moisture into container or package. Always close the lid.

Chemical Incompatibility: This product is chemically reactive with many substances, including, e.g., other pool treatment products, acids, organics, nitrogen-containing compounds, dry powder fire extinguishers (containing mono-ammonium phosphate), oxidizers, corrosive, flammable or combustible materials. Do not allow product to contact any foreign matter, including other water treatment products. Contamination or improper use may cause a fire of great intensity, explosion or the release of toxic gases. If product is exposed to small amounts of water, it can react violently to produce heat and toxic gases and spatter.

Hazardous Decomposition Products: Chlorine
Decomposition Temperature: 170 - 180 DEG°C - , 338 - 356 DEG°F-

11. TOXICOLOGICAL INFORMATION

Component Animal Toxicology

Oral LD50 value:

CALCIUM LD50 (65% calcium hypochlorite) 850 mg/kg Rat
HYPOCHLORITE



SODIUM CHLORIDE	LD50	= 3,000 mg/kg	Rat
CALCIUM CHLORIDE	LD50	= 1,000 mg/kg	Rat
CALCIUM HYDROXIDE	LD50	= 7,340 mg/kg	Rat
Sodium Tripolyphosphate	LD50	= 6,500 mg/kg	Rat

Dermal LD50 value:

CALCIUM HYPOCHLORITE	LD50 (65% calcium hypochlorite)	> 2,000 mg/kg	Rabbit
SODIUM CHLORIDE	LD50	> 10,000 mg/kg	Rabbit
CALCIUM CHLORIDE	LD50	= 2,630 mg/kg	Rat
CALCIUM HYDROXIDE		No data	
Sodium Tripolyphosphate		No data	

Inhalation LC50 value:

CALCIUM HYPOCHLORITE	Inhalation LC50 1 h (65% calcium hypochlorite), (Nose Only)	= 2.04 MG/L	Rat
CALCIUM HYPOCHLORITE	Inhalation LC50 4 h (65% calcium hypochlorite), (Nose Only)	= 0.51 MG/L	Rat
SODIUM CHLORIDE	Inhalation LC50 1 h	> 42 MG/L	Rat
CALCIUM CHLORIDE		No data	
CALCIUM HYDROXIDE		No data	
Sodium Tripolyphosphate	Inhalation LC50 4 h	> 0.39 MG/L	Rat

Product Animal Toxicity

Oral LD50 value: LD50 Approximately 800 mg/kg Rat

Dermal LD50 value: LD50 > 2,000 mg/kg Rabbit

Inhalation LC50 value: Inhalation LC50 1.00 h (Nose Only) > 2.04 MG/L Rat Inhalation LC50 4 h (Nose Only) > 0.51 MG/L Rat

Skin Irritation: DRY MATERIAL CAUSES MODERATE SKIN IRRITATION., WET MATERIAL CAUSES SKIN BURNS.

Eye Irritation: Corrosive to eyes.

Skin Sensitization: This material is not known or reported to be a skin or respiratory sensitizer.

Acute Toxicity: This product is corrosive to all tissues contacted and upon inhalation, may cause irritation to mucous membranes and respiratory tract. The dry material is irritating to the skin. However when wet, it will produce burns to the skin.

Subchronic / Chronic Toxicity: There are no known or reported effects from repeated exposure except those secondary to burns.

Reproductive and Developmental Toxicity: Calcium hypochlorite has been tested for teratogenicity in laboratory animals. Results of this study have shown that calcium hypochlorite is not a teratogen.

CALCIUM CHLORIDE

Not known or reported to cause reproductive or developmental toxicity.

Mutagenicity: Calcium hypochlorite has been tested in the Dominant lethal assay in male mice, and it did not induce a dominant lethal response. Calcium hypochlorite has been reported to produce mutagenic activity in two in vitro assays. It has, however, been shown to lack the capability to produce mutations in animals based on results from the micronucleus assay. In vitro assays frequently are inappropriate to judge the mutagenic potential of bactericidal chemicals due to a high degree of cellular toxicity. The concentration which produces mutations in these in vitro assays is significantly greater than the concentrations used for disinfection. Based on high cellular toxicity in in vitro assays and the lack of mutagenicity in animals, the risk of genetic damage



	to humans is judged not significant.
CALCIUM CHLORIDE	This product was determined to be non-mutagenic in the Ames assay. It was also shown to be non-clastogenic in the chromosomal aberration test.
Sodium Tripolyphosphate	This product was determined to be non-mutagenic in the Ames assay.
Carcinogenicity:	This product is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP or EPA. One hundred mice were exposed dermally 3 times a week for 18 months to a solution of calcium hypochlorite. Histopathological examination failed to show an increased incidence of tumors. IARC (International Agency for Research on Cancer) reviewed studies conducted with several hypochlorite salts. IARC has classified hypochlorite salts as having inadequate evidence for carcinogenicity to humans and animals. IARC therefore considers hypochlorite salts to be not classifiable as to their carcinogenicity to humans (Group 3 Substance).
CALCIUM CHLORIDE	This chemical is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP, or EPA.

12. ECOLOGICAL INFORMATION

Overview: Highly toxic to fish and other aquatic organisms.

Ecological Toxicity Values for: CALCIUM HYPOCHLORITE

Bluegill	-	(nominal, static). 96 h LC50 0.088 mg/l
Rainbow trout (<i>Salmo gairdneri</i>),	-	(nominal, static). 96 h LC50 0.16 mg/l
Daphnia magna,	-	(nominal, static). 48 h LC50 0.11 mg/l
Bobwhite quail	-	Dietary LC50 > 5,000 ppm
Mallard ducklings	-	Dietary LC50 > 5,000 ppm
Bobwhite quail	-	Oral LD50 3,474 mg/kg

Ecological Toxicity Values for: CALCIUM CHLORIDE

Bluegill	-	(nominal, static). 96 h LC50 = 10,650 mg/l
Mosquito fish	-	(nominal, static). 96 h LC50 = 13,400 mg/l
Fathead minnow (<i>Pimephales promelas</i>),	-	(nominal, static). 96 h LC50 = 4,630 mg/l
Daphnia magna,	-	(nominal, static). 48 h LC50= 2,770 mg/l
Ceriodaphnia dubia	-	(nominal, static). 48 h LC50= 1,830 mg/l
Nitzschia linearis (diatom)	-	(nominal, static). 5 day LC50 = 3,130 mg/l



13. DISPOSAL CONSIDERATIONS

CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THE MATERIAL. THE USER OF THE MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES.

Waste Disposal Summary : If this product becomes a waste, it meets the criteria of a hazardous waste as defined under 40 CFR 261 and would have the following EPA hazardous waste number: D001. If this product becomes a waste, it will be a hazardous waste which is subject to the Land Disposal restrictions under 40 CFR 268 and must be managed accordingly.

Disposal Methods : As a hazardous solid waste it should be disposed of in accordance with local, state and federal regulations.

Potential US EPA Waste Codes : D001

14. TRANSPORT INFORMATION

Land (US DOT): UN2880 CALCIUM HYPOCHLORITE, HYDRATED MIXTURE 5.1 III
Water (IMDG): UN2880 CALCIUM HYPOCHLORITE, HYDRATED MIXTURE, 5.1 III

Flash Point: Not applicable
Air (IATA): UN2880 CALCIUM HYPOCHLORITE, HYDRATED MIXTURE, 5.1 III
Emergency Response Guide Number: ERG # 140

Transportation Notes: Under specific circumstances, this product can ship under two transport exceptions, Limited Quantity or Consumer Commodity. See Bill of Lading for proper shipping description. REPORTABLE QUANTITY: 10 lbs. (Per 49 CFR 172.101, Appendix)

EMS: F-H, S-Q

15. REGULATORY INFORMATION

UNITED STATES:

Toxic Substances Control Act (TSCA): This is an EPA registered pesticide.
EPA Pesticide Registration Number: 1258-1233

FIFRA Listing of Pesticide Chemicals (40 CFR 180): This product is regulated under the Federal Insecticide, Fungicide and Rodenticide Act. It must be used for purposes consistent with its labeling.

Superfund Amendments and Reauthorization Act (SARA) Title III:

Hazard Categories Sections 311 / 312 (40 CFR 370.2):
Health Immediate (Acute) Health Hazard



Physical

Fire Hazard

Emergency Planning & Community Right to Know (40 CFR 355, App. A):

Extremely Hazardous Substance Section 302 - Threshold Planning Quantity:

ZUS_SAR302 TPQ (threshold planning quantity) None established

Reportable Quantity (49 CFR 172.101, Appendix):

ZUS_CERCLA Reportable quantity CALCIUM HYPOCHLORITE
Value: 10lbs

ZUS_SAR302 Reportable quantity None established

Supplier Notification Requirements (40 CFR 372.45), 313 Reportable Components

ZUS_SAR313 De minimis concentration None established

Clean Air Act Toxic ARP Section 112r:

CAA 112R None established

Clean Air Act Socmi:

HON SOC None established

Clean Air Act VOC Section 111:

CAA 111 None established

Clean Air Act Haz. Air Pollutants Section 112:

ZUS_CAAHAP None established

ZUS_CAAHRP None established

CAA AP None established

State Right-to-Know Regulations Status of Ingredients

Pennsylvania:

CAS #	COMPONENT NAME
10137-74-3	CALCIUM CHLORATE
1305-62-0	CALCIUM HYDROXIDE
7778-54-3	CALCIUM HYPOCHLORITE

ZUSPA_RTK

US. Commonwealth of Pennsylvania - Department of Labor and Industry; Pennsylvania Code Title 34,
Labor and Industry Chapter 323
1990-01-01
CHLORIC ACID, CALCIUM SALT
hazardous substance

US. Commonwealth of Pennsylvania - Department of Labor and Industry; Pennsylvania Code Title 34,
Labor and Industry Chapter 323
1990-01-01
CALCIUM HYDROXIDE (CA(OH)2)



hazardous substance

US. Commonwealth of Pennsylvania - Department of Labor and Industry; Pennsylvania Code Title 34,
Labor and Industry Chapter 323

1990-01-01

HYPOCHLOROUS ACID, CALCIUM SALT

environmental hazard, hazardous substance

New Jersey:

CAS #	COMPONENT NAME
10137-74-3	CALCIUM CHLORATE
1305-62-0	CALCIUM HYDROXIDE
7778-54-3	CALCIUM HYPOCHLORITE

ZUSNJ_RTK

US. New Jersey Department of Environmental Protection -; Bureau of Hazardous Substances New Jersey
Right to Know Law, Hazardous Substance List [P.L. 1983, C. 315, NJSA 34:5A-1 et seq]

1989-12-01

CALCIUM CHLORATE

hazardous substance

US. New Jersey Department of Environmental Protection -; Bureau of Hazardous Substances New Jersey
Right to Know Law, Hazardous Substance List [P.L. 1983, C. 315, NJSA 34:5A-1 et seq]

1989-12-01

CALCIUM HYDROXIDE

hazardous substance

US. New Jersey Department of Environmental Protection -; Bureau of Hazardous Substances New Jersey
Right to Know Law, Hazardous Substance List [P.L. 1983, C. 315, NJSA 34:5A-1 et seq]

1989-12-01

CALCIUM HYPOCHLORITE

special health hazard substance, special health hazard, reactive - second degree

Massachusetts:

CAS #	COMPONENT NAME
10137-74-3	CALCIUM CHLORATE
1305-62-0	CALCIUM HYDROXIDE
7778-54-3	CALCIUM HYPOCHLORITE

ZUSMA_RTK

US. The Commonwealth of Massachusetts Department of Public Health; Massachusetts Right-to-know
law, The Massachusetts Substance List, 105 CMR 670.000

1991-07-01

CALCIUM CHLORATE

massachusetts hazardous substance

US. The Commonwealth of Massachusetts Department of Public Health; Massachusetts Right-to-know
law, The Massachusetts Substance List, 105 CMR 670.000

1991-07-01

CALCIUM HYDROXIDE

massachusetts hazardous substance

US. The Commonwealth of Massachusetts Department of Public Health; Massachusetts Right-to-know

CCH Calcium Hypochlorite Tablets

REVISION DATE : 02/28/2008



**Arch
Chemicals,
Inc.**

MATERIAL SAFETY DATA SHEET

law, The Massachusetts Substance List, 105 CMR 670.000
1991-07-01
CALCIUM HYPOCHLORITE
massachusetts hazardous substance

California Proposition 65: CAS #	COMPONENT NAME
----------------------------------	----------------

ZUSCA_P65

None established

WHMIS Hazard Classification:

Canada. Canada Hazardous Products Act SOR/88-64
1988-01-20
Concentration by Weight: 1 percent by weight
302
CALCIUM HYDROXIDE

16. OTHER INFORMATION

MSDS REVISION STATUS : Revised to meet the ANSI standard of 16 sections
SECTIONS REVISED: 7, 14, 10
Major References : Available upon request.

THIS MATERIAL SAFETY DATA SHEET (MSDS) HAS BEEN PREPARED IN COMPLIANCE WITH THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. THE INFORMATION IN THIS MSDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. ARCH CHEMICALS BELIEVES THIS INFORMATION TO BE RELIABLE AND UP TO DATE AS OF THE DATE OF PUBLICATION BUT, MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS MSDS IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT ARCH CHEMICALS MSDS CONTROL AT THE PHONE NUMBER ON THE FRONT PAGE TO MAKE CERTAIN THAT THIS DOCUMENT IS CURRENT. .